

2013 MODELS

HORIZON SERIES4
SL SERIES16
FUNSHIP SERIES
SUNDOWNER® SERIES 22
VISTA [®] SERIES26

Standards and options 30
Four Winns [®] custom trailers38
Canvas and covers
Color options
Power options



Capture those rare, golden moments aboard a Four Winns.

You know those golden moments when every detail feels *perfect*... when the everyday seems to fall away and you're transported to another place? That's the experience we strive for in every boat we build.

It's why Four Winns has become one of the most admired vessels on the water today.

That ideal—perfection—is something Four Winns has honed for more than 35 years. It's produced some of the finest, most thoughtfully crafted boats to grace the water. Fluid lines, confident quality, gracious amenities. Artisanship, through and through.

Step aboard a Four Winns soon and let it take you away.



Four Winns[®] quality is simply unmistakable.

ENDURING QUALITY.

The art and craft of quality boat building has been our highest calling. We've earned our industry-leading reputation by attending to the basics: intelligent engineering, proven materials and quality manufacturing processes. Enduring Four Winns quality is the reason our boats command notably high resale values.

FLAWLESS FEATURES.

Four Winns' features are designed—and redesigned—around the desires of boaters like you. You'll appreciate our meticulous attention to the details, from our unusually comfortable seating and perfectly placed storage to thoughtful amenities and premium furnishings.



Find out more: FOURWINNS.COM



HORIZON SERIES

H190

H180

H200

M FOLIR WININS

H210 H230

H260

H310

Effortless, elegant boating begins here.

The Horizon Series features an open-bow sport platform that marries serious craftsmanship with playful adventure. Find the layout and length that's right for you and let the water games—and good life—begin. From 18 to 31 feet in length.

OPTIONAL AMENITIES:

- Aluminum arch with Bimini top
- Bow scuff plate
- Snap-in carpet

- Bucket seats with flip-up bolsters
- Cockpit and forward covers
- Swim platform mat

- Docking lights
- Premium sound system
- Transom shower



HORIZON RS OVERVIEW

A WHOLE NEW BREED ON THE HORIZON.



A vivid take on the classic sportboat. The all-new RS Series sportboats have an edgy attitude—and a riveting black-and-lime exterior color scheme that will make your pulse race. Features custom, color-coordinated interior.

RS FEATURES:

- High-impact exterior color scheme: Jet black/lime green graphics
- Matching, high-impact interior: color-coordinated vinyl seating graphics
- Helm detailing
- Optional custom carpet design

HORIZON SS OVERVIEW

STEP UP TO SPORTY CUSTOM STYLING.

You'll be impressed by the Horizon SS models. These thoughtfully designed vessels are distinguished by features that signify elegant boating—from custom interior/exterior treatments and cockpit styling to low-profile windshields and generous sunpads for lounging. From 18 to 26 feet in length.

Find out more: FOURWINNS.COM

SS FEATURES:

- High-impact exterior color scheme: Jet black/true red graphics
- Matching, high-impact interior: color-coordinated vinyl seating graphics
- Helm detailing
- Optional custom carpet design

SPECIFICATIONS:

LOA: 17'11'' / 5.46 M BEAM: 7'7'' / 2.31 M DEADRISE: 19° DRAFT-DRIVE DOWN: 31'' / 79 CM FUEL CAPACITY: 24 GAL / 91 L MAX. CAPACITY: 1800 LBS / 816 KG APPROX. BOAT & ENGINE WEIGHT: 2250-2480 LBS / 1020-1120 KG TRAILER WEIGHT: 900 LBS / 408 KG





HORIZON 180 OB RS



HORIZON 180 OB SS













SPECIFICATIONS:

LOA: 18'0'' / 5.49 M BEAM: 7'7'' / 2.31 M DEADRISE: 19° DRAFT-DRIVE DOWN: 33'' / 84 CM FUEL CAPACITY: 24 GAL / 91 L MAX. CAPACITY: 1200 LBS / 544 KG APPROX. BOAT & ENGINE WEIGHT: 2500-2650 LBS / 1130-1200 KG TRAILER WEIGHT: 861 LBS / 390 KG









HORIZON 180 SS

HORIZON 180





SPECIFICATIONS:

2800 LBS / 1220 KG

LOA: 19'0'' / 5.79 M BEAM: 7'11'' / 2.41 M DEADRISE: 20° DRAFT-DRIVE DOWN: 33'' / 84 CM FUEL CAPACITY: 32 GAL / 121 L MAX. CAPACITY: 1400 LBS / 635 KG APPROX. BOAT & ENGINE WEIGHT:

TRAILER WEIGHT: 861(S)/1123(T) LBS/ 391(S)/509(T) KG





HORIZON 190









H200 SS





H**200**

SPECIFICATIONS:

LOA: 19'8'' / 6 M BEAM: 8'4'' / 2.54 M DEADRISE: 19° DRAFT-DRIVE DOWN: 32'' / 81 CM FUEL CAPACITY: 35 GAL / 132 L MAX. CAPACITY: 1400 LBS / 635 KG APPROX. BOAT & ENGINE WEIGHT: 2930-3070 LBS / 1230-1400 KG TRAILER WEIGHT: 1051(S)/1234(T) LBS /477(S)/560(T) KG



SPECIFICATIONS:

LOA: 21'4'' / 6.50 M BEAM: 8'5'' / 2.55 M DEADRISE: 20° DRAFT-DRIVE DOWN: 33'' / 84 CM FUEL CAPACITY: 40 GAL / 151 L MAX. CAPACITY: 1600 LBS / 725 KG APPROX. BOAT & ENGINE WEIGHT: 3380-3580 LBS / 1530-1580 KG

TRAILER WEIGHT: 1051(S) / 1234(T) LBS /477(S) / 560(T) KG





HORIZON 210 SS























HORIZON 230

SPECIFICATIONS:

LOA: 23'4'' / 7.11 M BEAM: 8'5'' / 2.55 M DEADRISE: 20° DRAFT-DRIVE DOWN: 34'' / 86 CM FUEL CAPACITY: 52 GAL / 197 L MAX. CAPACITY: 1800 LBS / 862 KG APPROX. BOAT & ENGINE WEIGHT: 4370-4400 LBS / 1980-2000 KG TRAILER WEIGHT: 1505 LBS / 683 KG



SPECIFICATIONS:

LOA: 26'0'' / 7.92 M BEAM: 8'5'' / 2.55 M DEADRISE: 20° DRAFT-DRIVE DOWN: 35'' / 89 CM FUEL CAPACITY: 70 GAL / 265 L MAX. CAPACITY: 2250 LBS / 1021 KG APPROX. BOAT & ENGINE WEIGHT: 5100 LBS / 2310 KG

TRAILER WEIGHT: 1610 LBS / 730 KG





HORIZON 260 SS



















H**310**

SPECIFICATIONS:

LOA: 31'4'' / 9.55 M BEAM: 9'8'' / 2.84 M DEADRISE: 21° DRAFT-DRIVE DOWN: 35'' / 89 CM FUEL CAPACITY: 130 GAL / 492 L MAX. CAPACITY: YACHT APPROX. BOAT & ENGINE WEIGHT: 8340-8360 LBS / 3780-3790 KG TRAILER WEIGHT: 2450 LBS / 1111 KG





This is recreational boating on a higher plane.

Four Winns® exclusive Cross Stream® architecture distinguishes our SL Series runabouts. Features a spacious bow design, and wood cabinetry in the enclosed head. From 22 to 26 feet in length.



Find out more: FOURWINNS.COM

OPTIONAL AMENITIES:

- Underwater lighting
- Docking lights
- Teak swim platform
- Bow fill-in cushions
- Through-hull exhaust
- Garmin[™] GPS
- Arch with ski tow











SL**222**

SPECIFICATIONS:

LOA: 22'7'' / 6.88 M BEAM: 8'6'' / 2.59 M DEADRISE: 20° DRAFT-DRIVE DOWN: 33'' / 84 CM FUEL CAPACITY: 50 GAL / 189 L MAX. CAPACITY: 1800 LBS / 816 KG APPROX. BOAT & ENGINE WEIGHT: 4450-4470 LBS / 2020-2030 KG



SL**242**

SPECIFICATIONS:

LOA: 24'5'' / 7.44 M BEAM: 8'6'' / 2.59 M DEADRISE: 20° DRAFT-DRIVE DOWN: 33'' / 84 CM FUEL CAPACITY: 58 GAL / 220 L MAX. CAPACITY: 2100 LBS / 953 KG APPROX. BOAT & ENGINE WEIGHT: 4870-5080 LBS / 2210-2300 KG TRAILER WEIGHT: 1495 LBS / 678 KG






















SL**262**

SPECIFICATIONS:

LOA: 26'6'' / 8.08 M BEAM: 8'6'' / 2.59 M DEADRISE: 20° DRAFT-DRIVE DOWN: 33'' / 84 CM FUEL CAPACITY: 75 GAL / 284 L MAX. CAPACITY: 2400 LBS / 1089 KG APPROX. BOAT & ENGINE WEIGHT: 5380-5590 LBS / 2440-2540 KG TRAILER WEIGHT: 1968 LBS / 893 KG



FUNSHIP SERIES

F244

F 2 4 4

F224

Deck boats with a decided difference.

Our Funship Series deck boats are distinctive: They offer an abundance of well-appointed space. Invite family and friends to share your floating oasis—from dinner cruises to lake tours and exhilarating water sports. Delight in versatile features like a sun lounge, refreshment center and a transom walk-through. From 23 to 25 feet in length.

OPTIONAL AMENITIES:

FOUR WINNS

- Swim platform mat
- Underwater lighting
- Cockpit and forward covers
- Arch with custom bimini top
- Premium sound system
- Stereo remote at transom
- Mahogany steering wheel









F**224**

SPECIFICATIONS:

LOA: 23'8'' / 7.21 M BEAM: 8'6'' / 2.59 M DEADRISE: 17° DRAFT-DRIVE DOWN: 31'' / 79 CM FUEL CAPACITY: 50 GAL / 189 L MAX. CAPACITY: 1900 LBS / 862 KG APPROX. BOAT & ENGINE WEIGHT: 4150-4240 LBS / 1880-1920 KG TRAILER WEIGHT: 1365 LBS / 619 KG



F**244**

SPECIFICATIONS:

LOA: 25'6'' / 7.77 M BEAM: 8'6'' / 2.59 M DEADRISE: 17° DRAFT-DRIVE DOWN: 33'' / 84 CM FUEL CAPACITY: 65 GAL / 246 L MAX. CAPACITY: 2050 LBS / 930 KG APPROX. BOAT & ENGINE WEIGHT: 4680-4700 LBS / 2120-2130 KG



SUNDOWNER® SERIES

S215 S235

Anticipate memorable days and moonlit cruises.

Our agile and luxurious Sundowner® Series are highperformance sport boats by day, cozy v-berth sleeping quarters by night. No wonder the S215 was named European Power Boat of the Year for 2012. From 21 to 23 feet in length.



Find out more: FOURWINNS.COM

OPTIONAL AMENITIES:

- Windlass
- Deck sunpad
- Bucket seats with flip-up bolsters
- Cockpit cover
- Swim platform mat
- Docking lights
- Porta potty
- Premium sound system
- Transom shower



SUNDOWNER® 215

SPECIFICATIONS:

LOA: 21'4'' / 6.50 M BEAM: 8'5'' / 2.55 M DEADRISE: 20° DRAFT-DRIVE DOWN: 33'' / 83 CM FUEL CAPACITY: 40 GAL / 151 L MAX. CAPACITY: 1600 LBS / 725 KG APPROX. BOAT & ENGINE WEIGHT:

3450-4250 LBS / 1560-1930 KG TRAILER WEIGHT: 1051(S) / 1234(T) LBS /477(S) / 560(T) KG



















SUNDOWNER 235 SS



SUNDOWNER[®] 235

SPECIFICATIONS:

LOA: 23'4" / 7.11 M BEAM: 8'5" / 2.55 M DEADRISE: 20° DRAFT-DRIVE DOWN: 33" / 83 CM FUEL CAPACITY: 52 GALS / 197 L MAX. CAPACITY: 1800 LBS / 868 KG APPROX. BOAT & ENGINE WEIGHT: 4210 LBS / 1910 KG TRAILER WEIGHT: 1505 LBS / 683 KG



VISTA® 275

FOUR WINNS

An elegant exactitude—that's the essence of the Vista[®] 275.

This 28-foot express cruiser has true finesse—and features that ensure comfortable overnight excursions and gracious entertaining, from a cockpit galley, port lounge and dinette to bench seating that converts to a sun lounge.



Find out more: FOURWINNS.COM

V275 FEATURES:

- Stable-Vee® hull
- Extra-large curved hull windows
- Double-wide helm
- Choice of cabinetry wood, dark cherry or light maple
- Oversized mid-cabin berth
- Galley with solid surface countertop





-

...











V**275**

SPECIFICATIONS:

LOA: 28'0'' / 8.53 M BEAM: 9'2'' / 2.79 M DEADRISE: 18° DRAFT-DRIVE DOWN: 39'' / 99 CM FUEL CAPACITY: 85 GAL / 322 L MAX. CAPACITY: 2450 LBS / 1100 KG APPROX. BOAT & ENGINE WEIGHT: 7310-7630 LBS / 3320-3460 KG TRAILER WEIGHT: NA



Mome Mom Mom <th< th=""><th>SERIES</th><th></th><th></th><th></th><th></th><th></th><th></th><th>HORIZON</th><th></th><th></th><th></th><th></th><th></th><th></th><th>SL</th><th></th><th></th><th></th><th></th><th></th><th>SIG</th><th>GNATURE SEF</th><th>RIES</th><th></th><th></th><th></th><th>FUNS</th><th>SHIP</th><th>SUNDOW</th><th>/NER®</th><th>VISTA®</th></th<>	SERIES							HORIZON							SL						SIG	GNATURE SEF	RIES				FUNS	SHIP	SUNDOW	/NER®	VISTA®
Description Prob Pro	MODEL	H180	H180 (0B H1	180 RS	H180 OBRS	H190	H190 RS	H200	H210	H230	H260	H310	SL222	SL242	SL262	2 MODEL	H180 SS	H180 OBSS	H190 SS	H200 SS	H210 SS	H230 SS	H260 SS	S215 SS	S235 SS	F224	F244	S215	S235	V275
consistend a b	HULL AND DECK																HULL AND DECK														
Mathef Math	3D chrome graphic	OPT	OPT		-	-	OPT	-	OPT	OPT	OPT	OPT	OPT	-	-	-	3D chrome graphic	-	-	-	-	-	-	-	-	-	OPT	OPT	OPT	OPT	-
Description Description <thdescription< th=""> <thdescription< th=""> <</thdescription<></thdescription<>	Anchor locker, notch in lid for line	-	-		-	-	-	-	STD	STD	STD	STD	STD	STD	STD	STD	Anchor locker, notch in lid for line	-	-	-	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD
Sector	Bow anchor roller	OPT	OPT		OPT	OPT	OPT	OPT	-	OPT	OPT	OPT	STD	-	-	-	Bow anchor roller	OPT	OPT	OPT	-	OPT	OPT	OPT	STD	STD	STD	STD	STD	STD	STD
And	Bow and stern eyes, stainless steel	STD	STD		STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	Bow and stern eyes, stainless steel	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	-
And and and a set of the set of	Bow rails, stainless steel	-	-		-	-	-	-	-	-	-	-	-	-	-	-	Bow rails, stainless steel	-	-	-	-	-	-	-	STD	STD	STD	STD	STD	STD	STD
bit <td>Bow scuff plate, stainless steel</td> <td>OPT</td> <td>OPT</td> <td></td> <td>STD</td> <td>STD</td> <td>OPT</td> <td>STD</td> <td>OPT</td> <td>OPT</td> <td>OPT</td> <td>OPT</td> <td>STD</td> <td>OPT</td> <td>OPT</td> <td>OPT</td> <td>Bow scuff plate, stainless steel</td> <td>STD</td> <td>OPT</td> <td>OPT</td> <td>-</td>	Bow scuff plate, stainless steel	OPT	OPT		STD	STD	OPT	STD	OPT	OPT	OPT	OPT	STD	OPT	OPT	OPT	Bow scuff plate, stainless steel	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	OPT	OPT	-
Sector <td>Cleats, stainless steel</td> <td>STD</td> <td>STD</td> <td></td> <td>-</td> <td>-</td> <td>STD</td> <td>-</td> <td>-</td> <td>STD</td> <td>STD</td> <td>STD</td> <td>-</td> <td>-</td> <td>-</td> <td>-</td> <td>Cleats, stainless steel</td> <td>-</td> <td>STD</td> <td>STD</td> <td>STD</td>	Cleats, stainless steel	STD	STD		-	-	STD	-	-	STD	STD	STD	-	-	-	-	Cleats, stainless steel	-	-	-	-	-	-	-	-	-	-	-	STD	STD	STD
And and a probability of the probabilit	Cleats, pull-up, stainless steel	OPT	OPT		STD	STD	OPT	STD	STD	OPT	OPT	OPT	STD	STD	STD	STD	Cleats, pull-up, stainless steel	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	OPT	OPT	-
main 100 <	Docking lights	-	-		-	-	-	-	OPT	OPT	OPT	OPT	OPT	OPT	OPT	OPT	Docking lights	-	-	-	STD	STD	STD	STD	STD	STD	STD	STD	-	-	-
Matrix Ma	Fiberglass stringers	STD	STD		STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	Fiberglass stringers	STD	STD	STD	STD	STD	STD	STD	STD	STD	-	-	STD	STD	STD
And and a participant of the series of	Gel scheme, Classic Color Band (CCB), choice of colors	STD	STD		STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	Gel scheme, Classic Color Band (CCB), choice of colors	-	-	-	-	-	-	-	-	-	STD	STD	STD	STD	OPT
And	Gel scheme, RS gel scheme and graphics	-	-		STD	STD	-	STD	-	-	-	-	-	-	-	-	Gel scheme, RS gel scheme and graphics	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Image: serie s	Gel scheme, SS gel scheme and graphics, Signature Series graphics N/A AUS/NZ	-	-		-	-	-	-	-	-	-	-	-	-	-	-	Gel scheme, SS gel scheme and graphics, Signature Series graphics N/A AUS/NZ	STD	STD	STD	STD	STD	STD	STD	STD	STD	-	-	-	-	-
Main <td>Gel scheme, solid hull</td> <td>OPT</td> <td>OPT</td> <td></td> <td>-</td> <td>-</td> <td>OPT</td> <td>-</td> <td>OPT</td> <td>OPT</td> <td>OPT</td> <td>OPT</td> <td>OPT</td> <td>OPT</td> <td>OPT</td> <td>OPT</td> <td>Gel scheme, solid hull</td> <td>-</td> <td>-</td> <td>-</td> <td>-</td> <td>-</td> <td>-</td> <td>-</td> <td>-</td> <td>-</td> <td>OPT</td> <td>OPT</td> <td>OPT</td> <td>OPT</td> <td>-</td>	Gel scheme, solid hull	OPT	OPT		-	-	OPT	-	OPT	OPT	OPT	OPT	OPT	OPT	OPT	OPT	Gel scheme, solid hull	-	-	-	-	-	-	-	-	-	OPT	OPT	OPT	OPT	-
And set of the set of th	Gel scheme, tri tone	-	-		-	-	-	-	-	-	-	-	OPT	-	-	-	Gel scheme, tri tone	-	-	-	-	-	-	-	-	-	OPT	OPT	-	-	-
And space with space wit	Meets applicable ABYC, Canadian and USCG Standards, NMMA and CE certified	STD	STD		STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	Meets applicable ABYC, Canadian and USCG Standards, NMMA and CE certified	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD
And a	Navigation lights	STD	STD		STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	Navigation lights	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD
Algebre Algebr Algebre Algebre	Rub rail, rigid white vinyl w/flexible chrome insert	STD	STD		STD	STD	STD	STD	-	-	-	-	-	-	-	-	Rub rail, rigid white vinyl w/flexible chrome insert	STD	STD	STD	-	-	-	-	-	-	-	-	-	-	-
And the and the analysis And the a	Rub rail, rigid white vinyl w/stainless steel insert	-	-		-	-	-	-	STD	STD	STD	STD	STD	STD	STD	STD	Rub rail, rigid white vinyl w/stainless steel insert	-	-	-	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD
Matrix	Shower, aft (requires dual batteries)	-	-		-	-	-	-	-	OPT	OPT	OPT	STD	-	STD	STD	Shower, aft (requires dual batteries)	-	-	-	-	OPT	OPT	OPT	OPT	OPT	STD	STD	OPT	OPT	OPT
Sing lation	Sunpads, deck	-	-		-	-	-	-	-	-	-	-	-	-	-	-	Sunpads, deck	-	-	-	-	-	-	-	OPT	OPT	-	-	OPT	OPT	OPT
Singlation, dualation Gen Ge	Stable-Vee [®] hull	STD	STD		STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	Stable-Vee [®] hull	STD	STD	STD	STD	STD	STD	STD	STD	STD	-	-	STD	STD	STD
Addition	Swim platform, aft, ladder, angled, deep reach w/wide step pads	STD	STD		STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	Swim platform, aft, ladder, angled, deep reach w/wide step pads	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD
And participation A	Swim platform, fwd, w/ladder	-	-		-	-	-	-	-	-	-	-	-	STD	STD	STD	Swim platform, fwd, w/ladder	-	-	-	-	-	-	-	-	-	STD	STD	-	-	-
Synthatement 1 - - <th< td=""><td>Swim platform mat(s)</td><td>OPT</td><td>OPT</td><td></td><td>STD</td><td>STD</td><td>OPT</td><td>STD</td><td>OPT</td><td>OPT</td><td>OPT</td><td>OPT</td><td>-</td><td>STD</td><td>STD</td><td>STD</td><td>Swim platform mat(s)</td><td>STD</td><td>STD</td><td>STD</td><td>STD</td><td>STD</td><td>STD</td><td>STD</td><td>STD</td><td>STD</td><td>OPT</td><td>OPT</td><td>OPT</td><td>OPT</td><td>OPT</td></th<>	Swim platform mat(s)	OPT	OPT		STD	STD	OPT	STD	OPT	OPT	OPT	OPT	-	STD	STD	STD	Swim platform mat(s)	STD	STD	STD	STD	STD	STD	STD	STD	STD	OPT	OPT	OPT	OPT	OPT
Intro- Intro- STO STO STO STO	Swim platform, Flexiteak	-	-		-	-	-	-	-	-	-	-	OPT	-	-	-	Swim platform, Flexiteak	-	-	-	-	-	-	-	-	-	-	-	-	-	-
 marking and	Swim platform, teak	-	-		-	-	-	-	-	-	OPT	OPT	OPT	OPT	OPT	OPT	Swim platform, teak	-	-	-	-	-	-	-	-	-	-	-	-	-	OPT
IndervaludingInderv	Thru-hull fittings, stainless steel	STD	STD		STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	Thru-hull fittings, stainless steel	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD
Winds w/rope, dual batteries) - 0 D D <t< td=""><td>Trim tabs</td><td>-</td><td>-</td><td></td><td>-</td><td>-</td><td>-</td><td>-</td><td>-</td><td>-</td><td>-</td><td>-</td><td>STD</td><td>-</td><td>OPT</td><td>OPT</td><td>Trim tabs</td><td>-</td><td>-</td><td>-</td><td>-</td><td>-</td><td>-</td><td>-</td><td>-</td><td>-</td><td>-</td><td>-</td><td>-</td><td>-</td><td>STD</td></t<>	Trim tabs	-	-		-	-	-	-	-	-	-	-	STD	-	OPT	OPT	Trim tabs	-	-	-	-	-	-	-	-	-	-	-	-	-	STD
Windshield w/walk-thry, full aluminum frame, curved glass, exclusive design STD STD </td <td>Underwater lighting</td> <td>-</td> <td>-</td> <td></td> <td>-</td> <td>-</td> <td>-</td> <td>-</td> <td>OPT</td> <td>OPT</td> <td>OPT</td> <td>OPT</td> <td>OPT</td> <td>OPT</td> <td>OPT</td> <td>OPT</td> <td>Underwater lighting</td> <td>-</td> <td>-</td> <td>-</td> <td>OPT</td>	Underwater lighting	-	-		-	-	-	-	OPT	OPT	OPT	OPT	OPT	OPT	OPT	OPT	Underwater lighting	-	-	-	OPT	OPT	OPT	OPT	OPT	OPT	OPT	OPT	OPT	OPT	OPT
Winning Edge Owner Protection Plan STD	Windlass w/rope, chain and anchor (requires dual batteries)	-	-		-	-	-	-	-	OPT	OPT	OPT	STD	-	-	-	Windlass w/rope, chain and anchor (requires dual batteries)	-	-	-	-	OPT	OPT	OPT	OPT	OPT	-	-	OPT	OPT	OPT
TOW SPORTS OPT	Windshield w/walk-thru, full aluminum frame, curved glass, exclusive design	STD	STD		STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	Windshield w/walk-thru, full aluminum frame, curved glass, exclusive design	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD
Arch, hinging, w/color matched binnin top OPT	Winning Edge Owner Protection Plan	STD	STD		STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	Winning Edge Owner Protection Plan	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD
	TOW SPORTS																TOW SPORTS														
	Arch, hinging, w/color matched bimini top	OPT	OPT		OPT	OPT	OPT	OPT	OPT	OPT	OPT	OPT	OPT	OPT	OPT	OPT	Arch, hinging, w/color matched bimini top	OPT	OPT	OPT	OPT	OPT	OPT	OPT	-	OPT	OPT	OPT	-	OPT	OPT
		-	-		-	-	-	-	OPT	OPT	OPT	OPT	OPT	OPT	OPT	OPT	Arch speakers (requires premium sound system)	-	-	-	OPT	OPT	OPT	OPT	-	OPT	OPT	OPT	-	OPT	-

SERIES	HORIZON												SL								SIG	FUN	FUNSHIP SUNDOWNER®			VISTA®					
MODEL	H180	H180 ()B H180 R	S H	180 BRS	H190	H190 RS	H200	H210	H230	H260	H31(SL22	2	SL242	SL262	MODEL	H180 SS	H180 OBSS	H190 SS	H200 SS	H210 SS	H230 SS	H260 SS	S215 SS	S235 SS	F224	F244	S215	S235	V275
Ski pylon, removable	-	OPT	-	(OPT	-	-	-	-	-	-	OPT	-		-	-	Ski pylon, removable	-	OPT	-	-	-	-	-	-	-	-	-	-	-	-
Ski tow, stainless steel	STD	-	STD		-	STD	STD	STD	STD	STD	STD	STD	STD		STD	STD	Ski tow, stainless steel	STD	-	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	-
COCKPIT																	COCKPIT														
Aquaflex [™] white vinyl w/Silvertex [™] color vinyl	STD	STD	STD	5	STD	STD	STD	STD	STD	STD	STD	STD	STD		STD	STD	Aquaflex™ white vinyl w/Silvertex™ color vinyl	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD
Assist handle(s), stainless steel	STD	STD	STD	8	STD	STD	STD	STD	STD	STD	STD	STD	STD		STD	STD	Assist handle(s), stainless steel	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD
Beverage holders, stainless steel	STD	STD	STD	5	STD	STD	STD	STD	STD	STD	STD	STD	STD		STD	STD	Beverage holders, stainless steel	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD
Bucket seats, ComfortRide, dual w/flip-up bolster	OPT	OPT	STD	8	STD	OPT	STD	OPT	-	OPT	STD	-	STD		STD	STD	Bucket seats, ComfortRide, dual w/flip-up bolster	STD	STD	STD	STD	-	STD	STD	STD	STD	STD	STD	OPT	OPT	-
Bucket seat, flip-up bolster, starboard	-	-	-		-	-	-	-	OPT	-	-	STD	-		-	-	Bucket seat, flip-up bolster, starboard	-	-	-	-	STD	STD	STD	-	-	-	-	-	-	OPT
Bucket seats, ComfortRide, adjustable,	STD	STD	STD	5	STD	STD	STD	STD	STD	STD	-	-	-		-	-	Bucket seats, ComfortRide, adjustable,	-	-	-	-	STD	STD	STD	-	-	-	-	STD	STD	STD
Courtesy light(s)	STD	STD	STD	5	STD	STD	STD	STD	STD	STD	STD	STD	STD		STD	STD	Courtesy light(s)	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD
Cushions, bow fill-in	OPT	OPT	OPT	(OPT	OPT	OPT	OPT	OPT	OPT	OPT	STD	OPT		OPT	OPT	Cushions, bow fill-in	OPT	OPT	OPT	OPT	OPT	OPT	OPT	-	-	STD	STD	-	-	-
Engine compartment, molded fiberglass engine compartment liner	STD	-	STD	5	STD	STD	STD	STD	STD	STD	STD	STD	STD		STD	STD	Engine compartment, molded fiberglass engine compartment liner	STD	STD	STD	STD	STD	STD	STD	STD	STD	-	-	STD	STD	STD
Fiberglass liner, skid resistant, with built-in drains	STD	STD	STD	8	STD	STD	STD	STD	STD	STD	STD	STD	STD		STD	STD	Fiberglass liner, skid resistant, with built-in drains	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD
Flooring, carpet, snap-in	OPT	OPT	STD	5	STD	OPT	STD	STD	OPT	OPT	OPT	STD	STD		STD	STD	Flooring, carpet, snap-in	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	OPT	OPT	OPT
Flooring, custom RS or SS carpet, snap-in, N/A AUS/NZ SS only	-	-	OPT	(OPT	-	OPT	-	-	-	-	-	-		-	-	Flooring, custom RS or SS carpet, snap-in, N/A AUS/NZ SS only		OPT	OPT	-	OPT	OPT	OPT	OPT	OPT	-	-	-	-	-
Flooring, seagrass mat	-	-	-		-	-	-	-	OPT	OPT	OPT	OPT	OPT		OPT	OPT	Flooring, seagrass mat	-	-	-	-	-	-	-	-	-	-	-	OPT	OPT	OPT
Head, enclosed, porta potti	-	-	-		-	-	-	-	-	-	STD	STD	-		-	-	Head, enclosed, porta potti	-	-	-	-	-	-	STD	-	-	STD	STD	-	-	-
Head, enclosed, pump out (Vacu Flush 310)	-	-	-		-	-	-	-	-	-	OPT	STD	-		-	-	Head, enclosed, pump out (Vacu Flush 310)	-	-	-	-	-	-	OPT	-	-	OPT	OPT	-	-	-
Interior, Florentine	-	-	-		-	-	-	-	OPT	OPT	OPT	OPT	OPT		OPT	OPT	Interior, Florentine	-	-	-	-	-	-	-	-	-	-	-	OPT	OPT	OPT
Interior, Tropical	-	-	-		-	-	-	-	OPT	OPT	OPT	OPT	-		-	-	Interior, Tropical	-	-	-	-	-	-	-	-	-	OPT	OPT	OPT	OPT	-
Port console, premium texture trim, glove box, lockable	STD	STD	STD	5	STD	STD	STD	STD	STD	STD	-	-	STD		STD	STD	Port console, premium texture trim, glove box, lockable	STD	STD	STD	STD	STD	STD	STD	-	-	-	-	-	-	-
Port console, premium texture trim, glove box, storage for small electronics	-	-	-		-	-	-	-	STD	STD	STD	-	-		-	-	Port console, premium texture trim, glove box, storage for small electronics	-	-	-	-	STD	STD	STD	STD	STD	-	-	STD	STD	-
RS/SS w/carbon fiber texture vinyl	-	-	STD	5	STD	-	STD	-	-	-	-	-	-		-	-	RS/SS w/carbon fiber texture vinyl	STD	STD	STD	STD	STD	STD	STD	STD	STD	-	-	-	-	-
Refreshment/Galley center	-	-	-		-	-	-	-	-	-	OPT	STD	-		-	-	Refreshment/Galley center	-	-	-	-	-	-	OPT	-	OPT	STD	STD	-	OPT	STD
Seating, bow, hinged cushions	STD	STD	STD	5	STD	STD	STD	STD	STD	STD	STD	STD	STD		STD	STD	Seating, bow, hinged cushions	STD	STD	STD	STD	STD	STD	STD	-	-	-	-	-	-	-
Ski locker, in-floor, molded fiberglass finish	STD	STD	STD	8	STD	STD	STD	STD	STD	STD	STD	STD	STD		STD	STD	Ski locker, in-floor, molded fiberglass finish	STD	STD	STD	STD	STD	STD	STD	-	-	STD	STD	-	-	-
Storage, bow, behind backrest at helm and passenger consoles	-	-	-		-	-	-	STD	STD	STD	-	-	STD		STD	STD	Storage, bow, behind backrest at helm and passenger consoles	-	-	-	STD	STD	STD	STD	-	-	-	-	-	-	-
Storage, bow and cockpit, beneath seats	STD	STD	STD	5	STD	STD	STD	STD	STD	STD	STD	STD	STD		STD	STD	Storage, bow and cockpit, beneath seats	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD
Storage, beneath sundeck, mesh-sided bags for damp gear, sidewall	-	-	-		-	-	-	-	STD	STD	STD	-	-		-	-	Storage, beneath sundeck, mesh-sided bags for damp gear, sidewall	-	-	-	-	STD	STD	STD	STD	STD	-	-	STD	STD	-
Sundeck, aft	OPT	-	OPT		-	STD	STD	STD	STD	STD	STD	-	STD		STD	STD	Sundeck, aft	OPT	-	STD	STD	STD	STD	STD	STD	STD	-	-	STD	STD	-
Sundeck, aft, kick-up headrest creates chaise lounge	-	-	-		-	-	-	-	STD	STD	STD	STD	STD		-	-	Sundeck, aft, kick-up headrest creates chaise lounge	-	-	-	-	STD	STD	STD	STD	STD	-	-	STD	STD	-
Swim platform lounge seats	STD	-	STD		-	STD	STD	-	-	-	-	STD	STD		STD	STD	Swim platform lounge seats	STD	-	STD	-	-	-	-	-	-	STD	STD	-	-	-
Table, cockpit w/side-mount bracket	-	_	-		-	-	-	OPT	OPT	OPT	OPT	STD	OPT		OPT	OPT	Table, cockpit w/side-mount bracket	-	-	-	OPT	OPT	OPT	OPT	STD	STD	STD	STD	STD	STD	OPT
Walk-thru doors	-	-	-		-	OPT	-	OPT	OPT	OPT	OPT	STD	-		-	-	Walk-thru doors	-	-	-	OPT	OPT	OPT	OPT	-	-	STD	STD	-	-	-
Walk-thru transom	-	-	-		-	-	-	-	STD	STD	STD	STD	STD		STD	STD	Walk-thru transom	-	-	-	-	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD

Set <th>SERIES</th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th>HORIZON</th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th>SL</th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th>SIG</th> <th>NATURE SE</th> <th>RIES</th> <th></th> <th></th> <th></th> <th>FUNS</th> <th>ыр</th> <th>SUNDO</th> <th>WNER®</th> <th>VISTA®</th>	SERIES							HORIZON							SL							SIG	NATURE SE	RIES				FUNS	ыр	SUNDO	WNER®	VISTA®
Name Name<	MODEL	H180	H180	OB H180	0 RS	H180 OBRS	H190	H190 RS	H200	H210	H230	H260	H310	SL222	SL242	SL26	62	MODEL	H180 SS	H180 OBSS	H190 SS	H200 SS	H210 SS	H230 SS	H260 SS	S215 SS	S235 SS	F224	F244	S215	S235	V275
matrix mat	CABIN																	CABIN														
And Add Add Add Add Add Add Add Add Add	Air conditioning	-	-	-	-	-	-	-	-	-	-	-	OPT	-	-	-		Air conditioning	-	-	-	-	-	-	-	-	-	-	-	-	-	OPT
Succession <td>Berth (also mid cabin on V275)</td> <td>-</td> <td>STD</td> <td>-</td> <td>-</td> <td>-</td> <td></td> <td>Berth (also mid cabin on V275)</td> <td>-</td> <td>-</td> <td>-</td> <td>-</td> <td>-</td> <td>-</td> <td>-</td> <td>STD</td> <td>STD</td> <td>-</td> <td>-</td> <td>STD</td> <td>STD</td> <td>STD</td>	Berth (also mid cabin on V275)	-	-	-	-	-	-	-	-	-	-	-	STD	-	-	-		Berth (also mid cabin on V275)	-	-	-	-	-	-	-	STD	STD	-	-	STD	STD	STD
Image: Section of the sectin of the section of the section of the sect	Enclosed head and shower	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		Enclosed head and shower	-	-	-	-	-	-	-	-	-	-	-	-	-	STD
sharp sh	Galley	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		Galley	-	-	-	-	-	-	-	-	-	-	-	-	-	STD
Name	Porta Potti	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		Porta Potti	-	-	-	-	-	-	-	OPT	OPT	-	-	OPT	OPT	STD
Image: Sector Image: Sect	Pump out, Porta Potti	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		Pump out, Porta Potti	-	-	-	-	-	-	-	OPT	OPT	-	-	OPT	OPT	OPT
Science Science <t< td=""><td>HELM</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>HELM</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></t<>	HELM																	HELM														
matrix	Dash, top stitch-style detailing, precision textured trim	STD	STE) ST	rD	STD	STD	STD	STD	-	-	-	-	-	-	-		Dash, top stitch-style detailing, precision textured trim	STD	STD	STD	STD	-	-	-	-	-	-	-	-	-	-
Image: standImage: stand<	Dash, precision textured trim, rich, handfitted, top-stitched upholstery	-	-	-	-	-	-	-	-	STD	STD	STD	STD	STD	STD	STD	D	Dash, precision textured trim, rich, handfitted, top-stitched upholstery	-	-	-	-	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD
bit bit< bit bit	Depth sounder w/shallow water alarm, water and air temperature	-	-	-	-	-	-	-	STD	STD	STD	STD	STD	STD	STD	STD	D	Depth sounder w/shallow water alarm, water and air temperature	-	-	-	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD
Mark Mark <	Emergency engine shut-off	STD	STE) ST	ſD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	D	Emergency engine shut-off	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD
Image: state Image: state <th< td=""><td>Four Winns custom gauges, fog-resistant</td><td>STD</td><td>STE</td><td>) ST</td><td>ſD</td><td>STD</td><td>STD</td><td>STD</td><td>STD</td><td>STD</td><td>STD</td><td>STD</td><td>STD</td><td>STD</td><td>STD</td><td>STD</td><td>D</td><td>Four Winns custom gauges, fog-resistant</td><td>STD</td><td>STD</td><td>STD</td><td>STD</td><td>STD</td><td>STD</td><td>STD</td><td>STD</td><td>STD</td><td>STD</td><td>STD</td><td>STD</td><td>STD</td><td>STD</td></th<>	Four Winns custom gauges, fog-resistant	STD	STE) ST	ſD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	D	Four Winns custom gauges, fog-resistant	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD
Series canded free free free free free free free f	GPS	-	-	-	-	-	-	-	-	-	-	-	OPT	OPT	OPT	OPT	Т	GPS	-	-	-	-	-	-	-	-	-	-	-	-	-	OPT
Sind candid c	Lighted switches	STD	STE) ST	ſD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	D	Lighted switches	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD
Second state Sec	Steering wheel, deluxe, tilt	STD	STE) ST	rd	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	D	Steering wheel, deluxe, tilt	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD
Abbraic Abbraic <t< td=""><td>Steering wheel, mahogany, tilt</td><td>-</td><td>-</td><td>-</td><td>-</td><td>-</td><td>-</td><td>-</td><td>OPT</td><td>OPT</td><td>OPT</td><td>OPT</td><td>OPT</td><td>OPT</td><td>OPT</td><td>OPT</td><td>Т</td><td>Steering wheel, mahogany, tilt</td><td>-</td><td>-</td><td>-</td><td>OPT</td><td>-</td><td>-</td><td>-</td><td>-</td><td>-</td><td>OPT</td><td>OPT</td><td>OPT</td><td>OPT</td><td>OPT</td></t<>	Steering wheel, mahogany, tilt	-	-	-	-	-	-	-	OPT	OPT	OPT	OPT	OPT	OPT	OPT	OPT	Т	Steering wheel, mahogany, tilt	-	-	-	OPT	-	-	-	-	-	OPT	OPT	OPT	OPT	OPT
single	Storage for small electronics	-	-	-	-	-	-	-	STD	STD	STD	STD	STD	STD	STD	STD	D	Storage for small electronics	-	-	-	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	-
Index data Index d	ENGINE / SYSTEMS / DRIVE																	ENGINE / SYSTEMS / DRIVE														
show show <td>Battery(ies)</td> <td>STD</td> <td>STE</td> <td>) ST</td> <td>rd</td> <td>STD</td> <td>D</td> <td>Battery(ies)</td> <td>STD</td>	Battery(ies)	STD	STE) ST	rd	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	D	Battery(ies)	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD
Image: Second	Batteries dual w/on-off switch	-	-	-	-	-	-	-	-	OPT	OPT	STD	STD	STD	STD	STD	D	Batteries dual w/on-off switch	-	-	-	-	OPT	OPT	STD	OPT	OPT	STD	STD	OPT	OPT	STD
heads due	Bilge blower	STD	STO) ST	ſD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	D	Bilge blower	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD
Interching system - - - - <	Bilge pump(s), automatic	STD	STE) ST	ſD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	D	Bilge pump(s), automatic	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD
And Antice Antite Antice Antice Antice Antice Antice Antice Antice Ant	Exhaust, thru-side, Quick and Quiet	-	-	-	-	-	-	-	-	OPT	OPT	OPT	-	OPT	OPT	OPT	Т	Exhaust, thru-side, Quick and Quiet	-	-	-	STD	STD	STD	STD	STD	STD	-	-	OPT	OPT	-
Power finand titSTOS	Fire extinguishing system	-	-	-	-	-	-	-	-	-	OPT	OPT	OPT	OPT	OPT	OPT	Т	Fire extinguishing system	-	-	-	-	-	OPT	OPT	-	-	-	-	-	OPT	OPT
Proper dataProper dat	Generator	-	-	-	-	-	-	-	-	-	-	-	OPT	-	-	-		Generator	-	-	-	-	-	-	-	-	-	-	-	-	-	OPT
Inside ST0 ST0<	Power trim and tilt	STD	STE) ST	ſD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	D	Power trim and tilt	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD
STD <th< td=""><td>Prop, stainless, exchange</td><td>-</td><td>-</td><td>-</td><td>-</td><td>-</td><td>-</td><td>-</td><td>OPT</td><td>OPT</td><td>OPT</td><td>-</td><td>STD</td><td>-</td><td>-</td><td>-</td><td></td><td>Prop, stainless, exchange</td><td>-</td><td>-</td><td>-</td><td>OPT</td><td>STD</td><td>STD</td><td>STD</td><td>STD</td><td>STD</td><td>-</td><td>-</td><td>OPT</td><td>OPT</td><td>STD</td></th<>	Prop, stainless, exchange	-	-	-	-	-	-	-	OPT	OPT	OPT	-	STD	-	-	-		Prop, stainless, exchange	-	-	-	OPT	STD	STD	STD	STD	STD	-	-	OPT	OPT	STD
Automatical end of the stress of th	Trim switch, power at transom	STD	STE) ST	ſD	STD	STD	STD	OPT	OPT	OPT	OPT	-	OPT	OPT	OPT	Т	Trim switch, power at transom	STD	STD	STD	STD	STD	STD	STD	STD	STD	OPT	OPT	OPT	OPT	-
		STD	STE) ST	TD	STD	STD	STD	STD	STD	STD	STD	STD	-	-	-		Wiring harness w/sealed connectors and tin coating for corrosion resistance	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD
Predume system syste	ENTERTAINMENT																	ENTERTAINMENT														
Speaker 2 2 2 2 2 2 4 </td <td>iPod®/MP3 port</td> <td>STD</td> <td>STE</td> <td>) ST</td> <td>ſD</td> <td>STD</td> <td>D</td> <td>iPod®/MP3 port</td> <td>STD</td>	iPod®/MP3 port	STD	STE) ST	ſD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	D	iPod®/MP3 port	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD
Stere or mote w/display at helm and/or transom - <td< td=""><td>Premium sound system, subwoofer, stereo remote, transom speakers</td><td>OPT</td><td>OPT</td><td>r Of</td><td>PT</td><td>OPT</td><td>OPT</td><td>OPT</td><td>OPT</td><td>OPT</td><td>OPT</td><td>OPT</td><td>STD</td><td>OPT</td><td>OPT</td><td>OPT</td><td>Т</td><td>Premium sound system, subwoofer, stereo remote, transom speakers</td><td>OPT</td><td>OPT</td><td>OPT</td><td>OPT</td><td>OPT</td><td>OPT</td><td>OPT</td><td>OPT</td><td>OPT</td><td>OPT</td><td>OPT</td><td>OPT</td><td>OPT</td><td>OPT</td></td<>	Premium sound system, subwoofer, stereo remote, transom speakers	OPT	OPT	r Of	PT	OPT	OPT	OPT	OPT	OPT	OPT	OPT	STD	OPT	OPT	OPT	Т	Premium sound system, subwoofer, stereo remote, transom speakers	OPT	OPT	OPT	OPT	OPT	OPT	OPT	OPT	OPT	OPT	OPT	OPT	OPT	OPT
Stereo, Sony® AM/FM/CD player STD ST	Speakers	2	2	2	2	2	2	2	4	4	4	4	6	4	4	4		Speakers	2	2	2	4	4	4	4	4	4	4	4	4	4	4
	Stereo remote w/display at helm and/or transom	-	-	-	-	-	-	-	-	OPT	OPT	OPT	STD	OPT	OPT	OPT	Т	Stereo remote w/display at helm and/or transom	-	-	-	-	OPT	OPT	OPT	OPT	OPT	OPT	OPT	OPT	OPT	STD
Television, flat screen and DVD, berth/cabin - - - - - - - - - - OPT	Stereo, Sony® AM/FM/CD player	STD	STO) ST	ſD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	D	Stereo, Sony® AM/FM/CD player	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD
	Television, flat screen and DVD, berth/cabin	-	-	-	-	-	-	-	-	-	-	-	OPT	-	-	-		Television, flat screen and DVD, berth/cabin	-	-	-	-	-	-	-	-	-	-	-	-	-	OPT

SERIES						HORIZON							SL							SIG	GNATURE SE	RIES				FUN	SHIP	SUNDOWN	ER [®] VISTA [®]
MODEL	H180	H180 OB	H180 RS	H180 OBRS	H190	H190 RS	H200	H210	H230	H260	H310	SL222	SL242	SL262	2	MODEL	H180 SS	H180 OBSS	H190 SS	H200 SS	H210 SS	H230 SS	H260 SS	S215 SS	S235 SS	F224	F244	S215	S235 V275
TRAILER																TRAILER													
Four Winns [®] custom-matched trailer, w/disc brakes and swing away tongue	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	-	STD	STD	STD		Four Winns® custom-matched trailer, w/disc brakes and swing away tongue	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD –
Galvanized trailer w/GatorHyde®	OPT	OPT	OPT	OPT	OPT	OPT	OPT	OPT	OPT	OPT	-	OPT	OPT	OPT		Galvanized trailer w/GatorHyde®	OPT	OPT	OPT	OPT	OPT	OPT	OPT	OPT	OPT	OPT	OPT	OPT	OPT –
Rugged-duty towing package	-	-	-	-	OPT	OPT	OPT	OPT	OPT	OPT	-	OPT	OPT	OPT		Rugged-duty towing package	-	-	OPT	OPT	OPT	OPT	OPT	OPT	OPT	OPT	OPT	OPT	OPT –
Spare tire and wheel	OPT	OPT	-	-	OPT	-	OPT	OPT	OPT	OPT	-	OPT	OPT	OPT		Spare tire and wheel	OPT	OPT	-	OPT	-	-	-	-	-	OPT	OPT	OPT	OPT –
Spare tire and wheel, aluminum or galvanized	OPT	OPT	OPT	OPT	OPT	OPT	OPT	OPT	OPT	OPT	-	OPT	OPT	OPT		Spare tire and wheel, aluminum or galvanized	OPT	OPT	OPT	OPT	OPT	OPT	OPT	OPT	OPT	OPT	OPT	OPT	OPT –
Wheels, aluminum	-	-	STD	STD	OPT	STD	OPT	OPT	OPT	OPT	-	OPT	OPT	OPT		Wheels, aluminum	STD	STD	STD	STD	STD	STD	STD	STD	STD	OPT	OPT	OPT	OPT –
CANVAS																CANVAS													
Bimini top (incl. w/wakeboard tower packages)	OPT	OPT	OPT	OPT	OPT	OPT	OPT	OPT	OPT	OPT	STD	STD	STD	STD		Bimini top (incl. w/wakeboard tower packages)	OPT	OPT	OPT	STD	STD	STD	STD	STD	STD	STD	STD	OPT	OPT OPT
Camper canvas	-	-	-	-	-	-	-	-	-	-	OPT	-	-	-		Camper canvas	-	-	-	-	-	-	-	OPT	OPT	OPT	OPT	OPT	OPT OPT
Cockpit cover and forward cover	OPT	OPT	OPT	OPT	OPT	OPT	OPT	OPT	OPT	OPT	OPT	OPT	OPT	OPT		Cockpit cover and forward cover	OPT	OPT	OPT	OPT	OPT	OPT	OPT	OPT	OPT	OPT	OPT	OPT	OPT OPT
Care cover (black)	OPT	OPT	OPT	OPT	OPT	OPT	-	OPT	OPT	OPT	-	-	-	-		Care cover (black)	OPT	OPT	OPT	-	OPT	OPT	OPT	-	-	-	-	-	
POWER OPTIONS																POWER OPTIONS													
Volvo Penta®	200–225 hp	-	200–225 hp	-	200–225 hp	200–225 hp	225–270 hp	225–300 hp	270–380 hp	300–380 hp	T–300– 320 hp	300–320 hp	300–380 h	p 320–380	hp	Volvo Penta®	200–225 hp	-	200–225 hp	300 hp	300 hp	300–380 hp	300–380 hp	300 hp	270–380 hp	300 hp	300–320 hp	225–300 hp 27	0–380 hp 300–320 hp
MerCruiser®	135–220 hp	-	135–220 hp	-	190–220 hp	190–220 hp	220–260 hp	220–300 hp	260–320 hp	300–380 hp	T–300– 320 hp	300–320 hp	300–380 h	p 320–380	hp	MerCruiser [®]	135–220 hp	-	190–220 hp	300 hp	300 hp	300–320 hp	300–380 hp	300 hp	260–320 hp	300 hp	300–320 hp	220–300 hp 26	0–320 hp 300–380 hp
Outboard: Evinrude®, Mercury® or Yamaha®	-	90–150 hp	-	90–150 hp	-	-	-	-	-	-	-	-	-	-		Outboard: Evinrude®, Mercury® or Yamaha®	-	90–150 hp	-	-	-	-	-	-	-	-	-	-	
Convenience Package: Depth sounder with water and air temperature, hour meter	OPT	OPT	OPT	OPT	OPT	OPT	-	-	-	-	-	-	-	-		Convenience Package: Depth sounder with water and air temperature, hour meter	OPT	OPT	OPT	-	-	-	-	-	-	-	-	-	
Luxury Package: Beige/Mocha interior, Mahogoney table & wheel, teak swim platform, seagrass mat	-	-	-	-	-	-	-	-	OPT	OPT	-	-	-	-		Luxury Package: Beige/Mocha interior, Mahogoney table & wheel, teak swim platform, seagrass mat	-	-	-	-	-	-	-	-	-	-	-	-	OPT –
LX PACKAGE	OPT	OPT	-	-	OPT	-	-	OPT	OPT	OPT	-	-	-	-		LX PACKAGE	-	-	-	-	-	-	-	-	-	-	-	OPT	OPT –
Bimini top	INC	INC	-	-	INC	-	-	INC	INC	INC	-	-	-	-		Bimini top	-	-	-	-	-	-	-	-	-	-	-	INC	INC –
Bow scuff plate	INC	INC	-	-	INC	-	-	INC	INC	INC	-	-	-	-		Bow scuff plate	-	-	-	-	-	-	-	-	-	-	-	INC	INC –
Bucket seats, ComfortRide, dual, adjustable w/flip-up bolster	-	-	-	-	-	-	-	-	INC	-	-	-	-	-		Bucket seats, ComfortRide, dual, adjustable w/flip-up bolster	-	-	-	-	-	-	-	-	-	-	-	INC	INC -
Bucket seat, flip-up bolster, starboard	INC	INC	-	-	INC	-	-	INC	-	-	-	-	-	-		Bucket seat, flip-up bolster, starboard	-	-	-	-	-	-	-	-	-	-	-	-	
Carpet, snap-in	INC	INC	-	-	INC	-	-	INC	INC	INC	-	-	-	-		Carpet, snap-in	-	-	-	-	-	-	-	-	-	-	-	INC	INC –
Cleats, pull-up, stainless steel	INC	INC	-	-	INC	-	-	INC	INC	INC	-	-	-	-		Cleats, pull-up, stainless steel	-	-	-	-	-	-	-	-	-	-	-	INC	INC –
Convenience Package: Depth sounder with water and air temperature, hour meter	INC	INC	-	-	INC	-	-	-	-	-	-	-	-	-		Convenience Package: Depth sounder with water and air temperature, hour meter	-	-	-	-	-	-	-	-	-	-	-	-	
SLX PACKAGE* requires LX package	OPT	OPT	-	-	OPT	-	-	OPT	OPT	OPT	-	-	-	-		SLX PACKAGE* requires LX package	-	-	-	-	-	-	-	-	-	-	-	OPT	OPT –
Cockpit cover and forward cover	INC	INC	-	-	INC	-	-	INC	INC	INC	-	-	-	-		Cockpit cover and forward cover (cockpit only 215, 235, 275)	-	-	-	-	-	-	-	-	-	-	-	INC	INC -
Bow fill-in cushions	INC	INC	-	-	INC	-	-	INC	INC	INC	-	-	-	-		Bow fill-in cushions	-	-	-	-	-	-	-	-	-	-	-	-	
Docking lights	-	-	-	-	-	-	-	INC	INC	INC	-	-	-	-		Docking lights	-	-	-	-	-	-	-	-	-	-	-	-	
Swim platform mat	INC	INC	-	-	INC	-	-	INC	INC	INC	-	-	-	-		Swim platform mat	-	-	-	-	-	-	-	-	-	-	-	INC	INC –
Sunpads, deck	-	-	-	-	-	-	-	-	-	-	-	-	-	-		Sunpads, deck	-	-	-	-	-	-	-	-	-	-	-	INC	INC –
Table w/mount	-	-	-	-	-	-	-	INC	INC	INC	-	-	-	-		Table w/mount	-	-	-	-	-	-	-	-	-	-	-	INC	INC –
Walk thru doors	-	-	-	-	INC	-	-	INC	INC	INC	-	-	-	-		Walk thru doors	-	-	-	-	-	-	-	-	-	-	-	-	

FOUR WINNS® CUSTOM TRAILERS

BETTER BOATING BEGINS WITH A BETTER TRAILER.

Four Winns is one of the few recreational boat manufacturers in the world to make its own trailer. The difference lies in how easily the boat can be launched and loaded, plus great stability while towing. It's a difference you'll appreciate every time you're at a crowded marina or launch, and it's a Four Winns exclusive, which means it's truly priceless.

TRAILER FEATURES:

- Low profile design
- Fully welded fabrication
- Closed-box steel construction
- Non-marking bow rollers
- Longitudinal bunks
- Polyurethane finish

- Fixed tie-downs
- High quality tires
- Turbolube system
- Disc brakes
- Swing-away tongue
- Heavy-duty jack stand

CANVAS AND COVERS

WE'VE GOT YOU COVERED.

You'll get more enjoyment—and more years—out of your boat with the right canvas top. Choose from a selection of colormatched systems, including full camper canvas which converts the cockpit into an aquatic RV, a Bimini top to provide shade, a care cover or cockpit/forward cover to protect your boat from the elements while moored or stored. These canvas systems are custom-sewn to fit your boat perfectly, and made from top-grade material for many years of service.



COLOR OPTIONS

GEL SCHEMES.

Choose from a great selection of premium gel coat schemes and waterline accents, or select RS and SS models with high-impact color schemes. Whatever your passion, Four Winns® offers choices that will allow you to stand out from the crowd.



Find out more: FOURWINNS.COM

POWER OPTIONS

A RANGE OF OPTIONS FROM TOP OF THE LINE MANUFACTURERS TO FIT YOUR NEEDS.

Four Winns offers a wide range of power options to fit your needs, providing stern drive power from Volvo Penta[®] and MerCruiser[®] and outboards from Evinrude[®], Mercury[®] and Yamaha[®]. You'll also benefit from an engine manufacturer's limited warranty plan. Ask your dealer for details.



SEFOUR WINNS

WWW.FOURWINNS.COM

An important note about the information in this booklet: Copyright, 2013, Rec Boat Holdings, LLC. ®/TM signifies trademarks of Four Winns, LLC or suppliers. Models are shown with non-Four Winns options and accessories. Some models are shown with optional equipment. While Four Winns makes every effort to ensure that the information contained in this catalogue is correct, unending product refinement and design changes may result in revisions to current models that may not be shown in this catalogue. Four Winns reserves the right to make changes in specifications, models, features and colors at any time. Representations made in this catalogue do not constitute a warranty of any of the products shown. All limited warranties are outlined in the Four Winns limited warranty that accompanies each boat. Please see your authorized Four Winns dealer for additional information, available options and specific limited warranty details.

925 FRISBIE STREET, CADILLAC, MI 49601 | 231.775.1351